

# Gascon N

Wine grape variety.



## Origin

This variety is originally from the north of France.

## Use

Wine grape variety.

## Name of the variety in France

Gascon

## Synonymy

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.

## Regulatory data

In France, Gascon is officially listed in the "Catalogue of vine varieties" on the A list and classified.

---

## Description elements

The identification is based on:

- the tip of the young shoot with a high density of prostrate hairs,
- the yellow young leaves,
- the circular dark green adult leaves, entire or with three or five lobes, with a closed petiole sinus with overlapping lobes, medium teeth with straight sides, no anthocyanin coloration of veins, a flat sometimes goffered leaf blade, blistered, and on the lower side of the leaves, a medium density of erect and prostrate hairs,
- the round-shaped berries.

# Evolution of cultivated areas in France

Year	1958	1968	1979	1988	1998	2000	2008	2018
------	------	------	------	------	------	------	------	------

ha	51	27	5	7	1	1	1	1
----	----	----	---	---	---	---	---	---

## Genetic profile

Microsatellite	VVS2	VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
----------------	------	-------	-------	--------	---------	---------	--------	--------	--------

Allele 1	131	223	239	176	188	246	238	216	239
----------	-----	-----	-----	-----	-----	-----	-----	-----	-----

Allele 2	141	223	243	186	194	260	254	233	239
----------	-----	-----	-----	-----	-----	-----	-----	-----	-----

### Cultivation and agronomic skills

This variety is fairly vigorous and can be grown in various conditions. It is better to prune it short.

### Clonal selection in France

There is no certified clone for this variety yet.

### Phenology

Bud burst: 5 days after Chasselas.

Grape maturity: mid-season, 3 weeks and a half after Chasselas.


### Technological potential

The bunches are medium in size and the berries are small. Gascon produces very colored, lively and acidic wines with a medium degree of alcohol. Full maturity is necessary to obtain a good quality product.


### Susceptibility to Diseases and Pests

Gascon is rather susceptible to grey rot. It is less sensitive to downy mildew.

### Debourrement



### Maturité



### Bibliographic references

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi, France.
- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - Institut Agro Montpellier, Marseillan, France.

- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.
- Traité général de viticulture, Ampélographie. P. Viala and V. Vermorel, 1901-1909, Ed. Masson, Paris, France.



*Plantgrape, all rights reserved,  
plantgrape.fr, UMT Géno-Vigne®  
INRAE - IFV - L'Institut Agro Montpellier*