

# Goldriesling B

Wine grape variety.



## Origin

This variety was obtained by C. Oberlin and probably results from a crossbreeding between Riesling and Précoce de Malingre.

## Use

Wine grape variety.

## Name of the variety in France

Goldriesling

## Synonymy

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.

## Regulatory data

In France, Goldriesling is officially listed in the "Catalogue of vine varieties" on the A list and classified. This variety is also listed in the catalogues of other Member States of the European Union: Austria, Denmark and Germany.

---

## Description elements

The identification is based on:

- the tip of the young shoot with a high density of erect hairs,
- the green young leaves with bronze spots,
- the circular adult leaves, with three or five lobes, U-shaped lateral sinuses, a closed petiole sinus with slightly overlapping lobes, leaving a rounded light, medium teeth with convex or straight sides, a slight anthocyanin coloration of veins, a twisted leaf blade, and on the lower side of the leaves, a medium density of erect hairs,
- the round-shaped or broad ellipsoid berries.

# Evolution of cultivated areas in France

Year	1958	1968	1979	2018
ha	70	47	6	0

## Genetic profile

Microsatellite	VVS2	VMD5	VMD7	VMD27	VRZAG62	VRZAG79	VMD25	VMD28	VMD32
Allele 1	135	223	239	178	194	246	248	227	251
Allele 2	149	225	249	186	204	246	254	235	271

### Cultivation and agronomic skills

Goldriesling is not very vigorous. It is a good producer but rather sensitive to winter frost. Its early budburst also exposes it to spring frosts.

### Clonal selection in France

There is no certified clone for this variety yet.

### Phenology

Bud burst: same as Chasselas.  
Grape maturity: early-season, 1 week after Chasselas.


### Technological potential

The bunches and berries are small. Goldriesling produces average quality wines.


### Susceptibility to Diseases and Pests

Goldriesling is susceptible to downy mildew and grey rot. It is less affected by powdery mildew.

### Debourrement



### Maturité



### Bibliographic references

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi, France.
- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - ©2023 Plantgrape, all rights reserved

Institut Agro Montpellier, Marseillan, France.

- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.

- Traité général de viticulture, Ampélographie. P. Viala and V. Vermorel, 1901-1909, Ed. Masson, Paris, France.

---



---

*Plantgrape, all rights reserved,  
plantgrape.fr, UMT Géno-Vigne®  
INRAE - IFV - L'Institut Agro Montpellier*