

# Gringet B

Wine grape variety.



## Origin

This variety is native from the Haute-Savoie region (Arve valley) and specific to the area.

## Use

Wine grape variety.

## Name of the variety in France

Gringet

## Synonymy

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.

## Regulatory data

In France, Gringet is officially listed in the "Catalogue of vine varieties" on the A list and classified.

---

## Description elements

The identification is based on:

- the green young leaves,
- the circular adult leaves, entire or with three lobes, with a slightly open or closed petiole sinus, short to medium teeth with straight or convex sides, no anthocyanin coloration of veins, a flat leaf blade, and on the lower side of the leaves, a low density of prostrate hairs,
- the round-shaped berries.

# Evolution of cultivated areas in France

Year	1968	1979	1988	2000	2008	2018
ha	9	11	25	30	26	22

## Genetic profile

Microsatellite	VVS2	VMD5	VMD7	VMD27	VRZAG62	VRZAG79	VMD25	VMD28	VMD32
Allele 1	131	225	247	176	194	252	240	233	251
Allele 2	149	234	257	186	196	260	248	263	271

### Cultivation and agronomic skills

This variety is moderately productive with a drooping bearing. It must therefore be trained and managed by short pruning or simple Guyot pruning. Gringet produces good results on scree slopes.

### Clonal selection in France

The only certified Gringet clone carries the number 947. A conservatory of 15 or so clones was planted in 1999 in the wine-growing region of Savoie.

### Phenology

Bud burst: 9 days after Chasselas.  
Grape maturity: mid-season, 2 weeks after Chasselas.


### Technological potential

The bunches are large and the berries are small. This variety is more often used to produce sparkling wines (sparkling or semi-sparkling wines). Gringet wines are light, lively with floral notes.


### Susceptibility to Diseases and Pests

Gringet is susceptible to bud mite disease, powdery mildew and is very sensitive to downy mildew.

### Debourrement



### Maturité



## Bibliographic references

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi, France.
- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - Institut Agro Montpellier, Marseillan, France.
- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.



*Plantgrape, all rights reserved,  
plantgrape.fr, UMT Géno-Vigne®  
INRAE - IFV - L'Institut Agro Montpellier*