

Lledoner pelut N

Wine grape variety.



Origin

This variety is a mutation of Grenache, particularly focused on villosity.

Use

Wine grape variety.

Name of the variety in France

Lledoner pelut

Synonymy

In Spain, Lledoner pelut is officially designated as "Garnacha Peluda". This synonym is officially recognized in France regarding plant propagation material.

Regulatory data

In France, Lledoner pelut is officially listed in the "Catalogue of vine varieties" on the A list and classified. This variety is also listed in the catalogue of Spain.

Description elements

The identification is based on:

- the tip of the young shoot with high density of prostrate hairs,
- the green young leaves,
- the adult leaves with a slightly open or closed petiole sinus, with an sometimes a tooth on the edge, an elongated main lobe, a slightly blistered leaf blade, and on the lower side a low to medium prostrate hairs,
- the slightly ellipsoid berries.

Evolution of cultivated areas in France

Year	1979	1988	1998	2008	2018
ha	212	625	584	534	286

Genetic profile

Microsatellite	VVS2	VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allele 1	135	223	239	191	188	258	240	243	239
Allele 2	143	238	243	191	188	258	254	243	249

Cultivation and agronomic skills

This variety shares some of the characteristics and potential of Grenache. It is sometimes considered to be more vigorous and displays less susceptibility to coulure.

Susceptibility to Diseases and Pests

This variety's behavior towards the main diseases is the same as that of Grenache, except Lledoner pelut is more susceptible to mites.

Clonal selection in France

The two certified Lledoner pelut clones carry the numbers 1055 and 1056.

Bibliographic references

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi, France.
- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - Institut Agro Montpellier, Marseillan, France.
- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.

Phenology

Bud burst: 8 days after Chasselas.
Grape maturity: late-season, 4 weeks after Chasselas.

Technological potential

The bunches and berries are medium in size. Lledoner has close potentials to those of Grenache, but with slightly lesser natural alcohol degree.



*Plantgrape, all rights reserved,
plantgrape.fr, UMT Géno-Vigne®
INRAE - IFV - L'Institut Agro Montpellier*