

Pagadebiti B

Wine grape variety.



Origin

It is possible that this Corsican variety is originally from Italy.

Use

Wine grape variety.

Name of the variety in France

Pagadebiti

Synonymy

In Italy, Pagadebiti is officially designated as "Livornese bianca" and "Rollo". These synonyms are officially recognized in France regarding plant propagation material.

Regulatory data

In France, Pagadebiti is officially listed in the "Catalogue of vine varieties" on the A list and classified. This variety is also listed in the catalogue of Italy.

Description elements

The identification is based on:

- the tip of the young shoot with a medium density of prostrate hairs,
- the green or yellow young leaves,
- the circular adult leaves, with five, seven, or nine lobes, a slightly open petiole sinus or with slightly overlapping lobes, medium teeth, long compared to their width at the base with straight sides, no anthocyanin coloration of veins, a twisted leaf blade, and on the lower side of the leaves, a low or very low density of erect and prostrate hairs,
- the round-shaped berries.

Evolution of cultivated areas in France

| Year | 1958 | 1988 | 2000 | 2018 |
|------|------|------|------|------|
| ha | 11 | 2 | 2 | 1 |

Genetic profile

| | MicrosatelliteVVS2 | VVMD5 | VVMD7 | VVMD27 | VRZAG62 | VRZAG79 | VVMD25 | VVMD28 | VVMD32 |
|----------|--------------------|-------|-------|--------|---------|---------|--------|--------|--------|
| Allele 1 | 131 | 223 | 239 | 180 | 194 | 246 | 240 | 235 | 249 |
| Allele 2 | 131 | 229 | 249 | 191 | 200 | 252 | 240 | 257 | 251 |

Cultivation and agronomic skills

This variety is very fertile and productive. It has a late growing cycle and is suited to the warmest terroirs (particularly during autumn) in order to reach proper maturity. Yet, the grape clusters must be protected as they are susceptible to heat ("sunburn").


Clonal selection in France

The two certified Pagadebiti clones carry the numbers 868 and 869.

Phenology

Bud burst: 20 days after Chasselas.
Grape maturity: late-season, 4 weeks and a half after Chasselas.

Debourrement




Technological potential

The bunches are very large and long and the berries are very large. Pagadebiti produces fresh, pale, light and not very aromatic wines.

Susceptibility to Diseases and Pests

Pagadebiti is not very susceptible to fungal diseases.

Maturité



Bibliographic references

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi, France.
- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - Institut Agro Montpellier, Marseillan, France.
- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.
- Registro nazionale delle varietà di vite. Ministère de l'agriculture italien, under the name "Livornese Bianca", [[web site](#), visited in 2020].



*Plantgrape, all rights reserved,
plantgrape.fr, UMT Géno-Vigne@
INRAE - IFV - L'Institut Agro Montpellier*