

Panse précoce B

Table grape variety.



Origin

Based on genetic analyses carried out in Montpellier, this variety would be the result of the crossbreeding between Bicane and Pascal.

Use

Table grape variety.

Name of the variety in France

Panse précoce

Synonymy

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.

Regulatory data

In France, Panse précoce is officially listed in the "Catalogue of vine varieties" on the A list. This variety is also listed in the catalogues of other Member States of the European Union: Portugal and Italy.

Description elements

The identification is based on:

- the tip of the young shoot with a medium to high density of prostrate hairs,
- the green young leaves with slightly bronze spots,
- the pentagonal adult leaves, with five lobes, a petiole sinus with overlapping or very overlapping lobes, short teeth with straight or convex sides, no anthocyanin coloration of veins, a smooth slightly revolute leaf blade, and on the lower side of the leaves, a medium density of erect hairs and no prostrate hairs,
- the ellipsoid berries.

Evolution of mother vine surfaces

| Year | 1958 | 1968 | 1988 | 2000 | 2008 | 2018 |
|------|------|------|------|------|------|------|
| ha | 118 | 184 | 15 | 6 | 5 | 2.3 |

Genetic profile

| Microsatellite | VVS2 | VVMD5 | VVMD7 | VVMD27 | VRZAG62 | VRZAG79 | VVMD25 | VVMD28 | VVMD32 |
|----------------|------|-------|-------|--------|---------|---------|--------|--------|--------|
| Allele 1 | 131 | 223 | 243 | 186 | 186 | 252 | 238 | 233 | 239 |
| Allele 2 | 131 | 236 | 249 | 191 | 188 | 258 | 238 | 245 | 271 |

Cultivation and agronomic skills

Panse précoce has moderate vigor and a semi-erect to erect bearing. This variety can be pruned short or moderately long.

Clonal selection in France

The only certified Panse précoce clone carries the number 1328.

Phenology

Bud burst: 5 days after Chasselas.

Grape maturity: early-season, 1 week and a half after Chasselas.


Technological potential

The bunches are medium to large in size and compact. The berries are large, simple-flavored, with a thick skin and a not very juicy pulp.


Susceptibility to Diseases and Pests

Panse précoce is a little susceptible to grey rot.

Debourrement



Maturité



Bibliographic references

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi, France.
©2023 Plantgrape, all rights reserved

- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - Institut Agro Montpellier, Marseillan, France.
- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.
- Traité général de viticulture, Ampélographie. P. Viala and V. Vermorel, 1901-1909, Ed. Masson, Paris, France.



*Plantgrape, all rights reserved,
plantgrape.fr, UMT Géno-Vigne®
INRAE - IFV - L'Institut Agro Montpellier*