

Riminèse B

Wine grape variety.



Origin

This variety is found in Corsica and corresponds to the Italian variety, Albana.

Use

Wine grape variety.

Name of the variety in France

Riminèse

Synonymy

In Italy, Riminèse is officially designated as "Albana". This synonym is officially recognized in France regarding plant propagation material.

Regulatory data

In France, Riminèse is officially listed in the "Catalogue of vine varieties" on the A list and classified.

Description elements

The identification is based on:

- the tip of the young shoot with a high density of prostrate hairs
- the young leaves with bronze spots,
- the shoots with red internodes,
- the pentagonal adult leaves, with five lobes, a petiole sinus with slightly overlapping lobes, short to medium teeth with straight sides, a moderate to strong anthocyanin coloration of veins, a revolute leaf blade, and on the lower side of the leaves, a medium density of erect and prostrate hairs,
- the round-shaped or slightly obloid berries.

Evolution of cultivated areas in France

| Year | 1958 | 2018 |
|------|------|------|
| ha | 35 | 3.3 |

Genetic profile

| Microsatellite | VVS2 | VMD5 | VMD7 | VMD27 | VRZAG62 | VRZAG79 | VMD25 | VMD28 | VMD32 |
|----------------|------|------|------|-------|---------|---------|-------|-------|-------|
| Allele 1 | 131 | 223 | 247 | 176 | 194 | 252 | 240 | 233 | 249 |
| Allele 2 | 141 | 229 | 249 | 186 | 200 | 252 | 254 | 235 | 271 |

Cultivation and agronomic skills

Riminèse is very vigorous and displays a horizontal or drooping bearing. It must be pruned long and trellised.

Clonal selection in France

The only certified Riminèse clone carries the number 1151.

Phenology

Bud burst: 15 days after Chasselas.

Grape maturity: mid-season, 2 weeks and a half after Chasselas.


Technological potential

The bunches and berries are medium to large size. Riminèse has a good sugar accumulation potential. This variety produces pale, slightly aromatic, well balanced, white wines, which are suited to ageing.


Susceptibility to Diseases and Pests

Riminèse does not seem particularly susceptible to diseases.

Debourrement



Maturité



Bibliographic references

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi, France.
- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - Institut Agro Montpellier, Marseillan, France.
- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.
- Traité général de viticulture, Ampélographie. P. Viala and V. Vermorel, 1901-1909, Ed. Masson, Paris, France.
- Registro nazionale delle varietà di vite. Ministère de l'agriculture italien, under the name "Albana", [[web site](#), visited in 2020].



*Plantgrape, all rights reserved,
plantgrape.fr, UMT Géno-Vigne®
INRAE - IFV - L'Institut Agro Montpellier*