

# Terret gris G

Wine grape variety.



## Origin

This variety corresponds to the grey mutation of Terret noir.

## Use

Wine grape variety.

## Name of the variety in France

Terret gris

## Synonymy

In France, this variety can officially be called "Terret-Bourret" regarding plant propagation material.

## Regulatory data

In France, Terret gris is officially listed in the "Catalogue of vine varieties" on the A list and classified. This variety is also listed in the catalogue of Croatia.

---

## Description elements

The description corresponds to that of Terret noir except for the skin color of the berries when ripe, which is grey, and for the ellipsoid berries.

# Evolution of cultivated areas in France

Year	1958	1968	1979	1988	1998	2008	2018
ha	15017	13384	8987	6191	214	131	40

## Genetic profile

Microsatellite	VVS2	VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allele 1	131	223	243	176	188	252	238	257	239
Allele 2	131	223	247	182	204	252	240	257	239

### Cultivation and agronomic skills

Terret gris has characteristics comparable to those of Terret noir. It is also fairly susceptible to browning.

### Susceptibility to Diseases and Pests

The behavior of Terret gris towards diseases is comparable to that of Terret noir.

### Clonal selection in France

The only certified Terret gris clone carries the number 1219. Selection work is underway following surveys carried out in the wine-growing region of Hérault. A conservatory of ten or so clones was planted in the French department of Hérault in 2003.

### Bibliographic references

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi, France.
- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - Institut Agro Montpellier, Marseillan, France.
- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.
- Traité général de viticulture, Ampélographie. P. Viala and V. Vermorel, 1901-1909, Ed. Masson, Paris, France.

### Phenology

Bud burst: 8 days after Chasselas.  
Grape maturity: late-season, 4 weeks and a half to 5 weeks after Chasselas.

### Technological potential

The bunches and berries are large. Terret gris produces neutral wines with a low alcohol degree.



*Plantgrape, all rights reserved,  
plantgrape.fr, UMT Géno-Vigne®  
INRAE - IFV - L'Institut Agro Montpellier*

