

# Béquignol N

Wine grape variety.



## Origin

Béquignol is originally from the south west of France.

## Use

Wine grape variety.

## Name of the variety in France

Béquignol

## Synonymy

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.

## Regulatory data

In France, Bequignol is officially listed in the "Catalogue of vine varieties" on the A list and classified.

---

## Description elements

The identification is based on:

- the tip of the young shoot with a very high density of prostrate hairs,
- the green young leaves with bronze spots,
- the adult leaves entire or with three or five lobes, an open or slightly open petiole sinus with often a tooth on the edge, moderate to long teeth compared to their width at the base with convex sides, moderate anthocyanin coloration of veins, a twisted, blistered leaf blade, and on the lower side of the leaves, a low to medium density of prostrate hairs,
- the broad ellipsoid berries.

# Evolution of cultivated areas in France

Year	1958	1968	1979	1988	2000	2008	2018
------	------	------	------	------	------	------	------

ha	223	117	140	118	1	1	0
----	-----	-----	-----	-----	---	---	---

## Genetic profile

	MicrosatelliteVVS2	VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allele 1	137	234	239	172	188	246	238	235	239
Allele 2	149	236	257	186	194	248	248	243	273

### Cultivation and agronomic skills

Béquignol is a vigorous variety and is fertile when pruned long. It is well adapted to drought conditions.

### Clonal selection in France

The only certified Bequignol clone carries the number 1224.

### Phenology

Bud burst: 3 days after Chasselas.

Grape maturity: mid-season, 2 weeks and a half after Chasselas.


### Technological potential

The bunches are medium in size and the berries are small. Béquignol produces ordinary wines, light bodied, not tannic and are fitted for quick consumption.


### Susceptibility to Diseases and Pests

Béquignol is sensitive to mites. On the other hand, it is not very affected by grey rot.

### Debourrement



### Maturité



### Bibliographic references

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi, France.
- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - ©2023 Plantgrape, all rights reserved

Institut Agro Montpellier, Marseillan, France.

- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.

---



---

*Plantgrape, all rights reserved,  
plantgrape.fr, UMT Géo-Vigne®  
INRAE - IFV - L'Institut Agro Montpellier*