

# Beaugaray N

Wine grape variety.



## Origin

This variety was obtained by INRA and SICAREX Beaujolais in the 1980's and results from the crossbreeding of Gamay and Heroldrebe.

## Use

Wine grape variety.

## Name of the variety in France

Beaugaray

## Synonymy

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.

## Regulatory data

In France, Beaugaray is officially listed in the "Catalogue of vine varieties" since 2014 on the A list and classified.

---

## Description elements

The identification is based on :

- the tip of the young shoot with a low to medium density of prostrate hairs,
- the green yellowish young leaves, with bronze spots and a medium density of prostrate hairs,
- the red purplish shoots on the dorsal side, with flattened nodes and a strong anthocyanin coloration of bud scales,
- the pentagonal adult leaves, entire or with three or five lobes, with shallow lateral sinuses, a closed petiole sinus with very overlapping lobes, short teeth compared to their width at the base with straight sides, no anthocyanin coloration of veins, a flat, blistered, goffered leaf blade, and on the lower side of the leaves, no erect hairs and a low to medium density of prostrate hairs,
- the round-shaped berries.

# Evolution of cultivated areas in France

Year 2018

ha 0

## Genetic profile

	MicrosatelliteVVS2	VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allele 1	131	236	239	178	194	246	238	216	249
Allele 2	141	238	249	186	204	260	254	259	271

### Cultivation and agronomic skills

Beaugaray is rather vigorous, moderately fertile and has a semi-erect bearing. This variety can be susceptible to millerandage.

### Clonal selection in France

The only certified Beaugaray clone carries the number 1269.

### Phenology

Bud burst: 1 day after Chasselas.  
Grape maturity: mid-season, 3 weeks after Chasselas.


### Technological potential

Beaugaray's bunches are medium in size and compact. The berries are also medium, simple-flavored, with a moderately thick skin and a soft and very juicy pulp. This variety produces very colored, structured, tannic wines. They have a fruity (ripe fruits) and floral (rose and violet) aromatic profile.


### Susceptibility to Diseases and Pests

Beaugaray is sensitive to downy mildew and powdery mildew and it seems less affected by grey rot. This variety is susceptible to wood diseases (esca).

### Debourrement



### Maturité



### Bibliographic references

- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - ©2023 Plantgrape, all rights reserved



---

*Plantgrape, all rights reserved,  
plantgrape.fr, UMT Géno-Vigne®  
INRAE - IFV - L'Institut Agro Montpellier*