

# Goron de Bovernier N

Wine grape variety.



## Origin

This variety is originally from Switzerland.

## Use

Wine grape variety.

## Name of the variety in France

Goron de Bovernier

## Synonymy

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.

## Regulatory data

In France, Goron de Bovernier is officially listed in the "Catalogue of vine varieties" since 2014 on the B list.

---

## Description elements

The identification is based on:

- the tip of the young shoot with no or a slight density of prostrate hairs,
- the bronzed young leaves,
- the small to medium adult leaves, with three, five or sometimes seven lobes, an open or slightly open V-shaped petiole sinus, not numerous teeth, short compared to their width at the base with convex or straight sides, no anthocyanin coloration of veins, a slightly blistered leaf blade, sometimes involute, and on the lower side of the leaves, no or a very low density of erect and prostrate hairs,
- the round-shaped berries.

# Evolution of cultivated areas in France

Year

2018

ha

0

## Genetic profile

	MicrosatelliteVVS2	VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allele 1	131	225	239	186	194	248	240	227	239
Allele 2	149	225	247	186	194	260	262	243	261

### Cultivation and agronomic skills

Goron de Bovernier is a vigorous variety with a semi-erect or horizontal bearing. It is susceptible to magnesium deficiency.

### Clonal selection in France

The only certified Goron de Bovernier clone carries the number 1350.

### Phenology

Bud burst: 1 day before Chasselas.

Grape maturity: mid-season, 3 weeks to 3 weeks and a half after Chasselas.


### Technological potential

Boron de Governier's bunches are medium in size and compact. The berries are small to medium in size, simple-flavored, with a thin skin. This variety produces aromatic and moderately alcoholic wines, with a fairly high titrable acidity.


### Susceptibility to Diseases and Pests

Goron de Bovernier is very sensitive to grey rot.

### Debourrement



## Maturité



## Bibliographic references

- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - Institut Agro Montpellier, Marseillan, France.
- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.
- Principales variétés de vigne cultivées en Suisse. Ph. Dupraz and J-L. Spring, 2010, Ed. Agroscope, Switzerland.
- Origine des cépages valaisans et valdotains. J. Vouillamoz and G. Moriondo, 2011, Ed. Belvédère, Switzerland.
- Cépages suisses, histoires et origines. J. Vouillamoz, 2017, Ed. Favre, Switzerland.



*Plantgrape, all rights reserved,  
plantgrape.fr, UMT Géno-Vigne®  
INRAE - IFV - L'Institut Agro Montpellier*