

Bouillet N

Wine grape variety.



Origin

This variety is originally from the south west of France.

Use

Wine grape variety.

Name of the variety in France

Bouillet

Synonymy

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.

Regulatory data

In France, Bouillet is officially listed in the "Catalogue of vine varieties" on the A list and classified.

Description elements

The identification is based on:

- the tip of the young shoot with a high density of prostrate hairs,
- the green young leaves,
- the medium adult leaves, with three lobes, an open U-shaped petiole sinus, small teeth, long compared to their width at the base with straight sides, a moderate anthocyanin coloration of veins, a slightly involute, sometimes gophered leaf blade, and on the lower side of the leaves, a low density of erect hairs and a medium to high density of prostrate hairs,
- the round-shaped berries.

Evolution of cultivated areas in France

Year	1958	1968	1979	1988	2000	2008	2018
ha	176	158	62	19	2	2	0.6

Genetic profile

Microsatellite	VVS2	VMD5	VMD7	VMD27	VRZAG62	VRZAG79	VMD25	VMD28	VMD32
Allele 1	131	223	239	178	188	244	238	233	251
Allele 2	149	236	239	186	196	246	248	257	271

Cultivation and agronomic skills

Bouillet is very fertile, even when pruned short. The attitude of shoots is semi-erect.

Susceptibility to Diseases and Pests

Bouillet is susceptible to grey rot.

Clonal selection in France

There is no certified clone for this variety yet.

Bibliographic references

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi, France.
- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - Institut Agro Montpellier, Marseillan, France.
- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.

Phenology

Bud burst: 5 days after Chasselas.

Grape maturity: mid-season, 3 weeks and a half after Chasselas.

Technological potential

The bunches and berries are large. Bouillet produces low quality, often acidic and quite bitter wines.



*Plantgrape, all rights reserved,
plantgrape.fr, UMT Géno-Vigne®
INRAE - IFV - L'Institut Agro Montpellier*