

# Bouysselet B

Wine grape variety.



## Origin

Bouysselet seems to come from the Haute-Garonne region, Fronton wine-growing region. Based on genetic analyses carried out in Montpellier, it would result from the crossbreeding of Savagnin and Plant de Cauzette.

## Use

Wine grape variety.

## Name of the variety in France

Bouysselet

## Synonymy

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.

## Regulatory data

In France, Bouysselet is officially listed in the "Catalogue of vine varieties" since 2016 on the A list and classified.

---

## Description elements

The identification is based on:

- the tip of the young shoot with a medium density of prostrate hairs,
- the copper reddish young leaves with bronze spots and a medium density of prostrate hairs,
- the shoots with red internodes, tendrils and petioles,
- the small adult leaves, entire or with three lobes, with a V-shaped petiole sinus with slightly overlapping lobes, short teeth compared to their width at the base with convex sides, a weak to moderate anthocyanin coloration, a flat, blistered leaf blade, and on the lower side of the leaves, a low density of erect hairs and a medium density of prostrate hairs,
- the broad ellipsoid berries.

# Evolution of cultivated areas in France

Year 2018

ha 3.5

## Genetic profile

	MicrosatelliteVVS2	VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allele 1	141	229	257	186	194	246	248	233	251
Allele 2	149	236	262	186	202	252	254	233	271

### Cultivation and agronomic skills

Bouysselet has an erect bearing. Its yield potential is correct when it is pruned long.

### Clonal selection in France

The only certified Bouysselet clone carries the number 1371.

### Phenology

Bud burst: 9 days after Chasselas.

Grape maturity: mid-season, 3 weeks after Chasselas.

### Technological potential

Bouysselet's bunches are small and compact. The berries are medium in size, simple-flavored, with a thick bloomed skin. The Bouysselet wines are lively with mineral notes and high alcohol and acidity levels.

### Susceptibility to Diseases and Pests

Bouysselet is a quite "rustic" variety, not very susceptible to downy mildew and to grey rot.

### Bibliographic references

- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - Institut Agro Montpellier, Marseillan, France.
- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.
- Synonymie ampélographique de l'Ouest viticole français. Artozoul et al., 1960, Ed. INRA, France.
- Cépages du Sud-Ouest, 2000 ans d'histoire. G. Lavignac, 2001, Ed. Rouergue/INRA, France.
- Le Bouysselet blanc de Vilaudric. O. Yobregat, 2016, Ed. IFV, France.



Plantgrape, all rights reserved,  
plantgrape.fr, UMT Géno-Vigne®  
INRAE - IFV - L'Institut Agro Montpellier

