

Silara N

Grape variety intended for the production of fruit juices.



Origin

Silara is an interspecific hybrid obtained by Seibel. Its parents are not known.

Use

Grape variety intended for the production of fruit juices.

Name of the variety in France

Silara

Synonymy

In France, this variety may officially be called "10796 Seibel" concerning plant propagating material.

Regulatory data

In France, Silara is officially listed in the "Catalogue of vine varieties" since 2017 on the A list.

Description elements

The identification is based on:

- the tip of the young shoot with a medium to high density of prostrate hairs and a piping distribution of anthocyanin coloration.
- the green yellow young leaves, with a medium density of prostrate hairs and a low density of erect hairs,
- the thin red shoots,
- the small adult leaves, entire or with five lobes, with an open V-shaped petiole sinus, moderately long teeth compared to their width at the base with straight sides or with one side convex and one side concave, ellongated star-shaped main veins (with the five corresponding teeth that are prominent and clearly longer than the others compared to their base), a weak to moderate anthocyanin coloration of veins, a shiny, involute, folded, slightly goffered and roughly blistered leaf blade, and on the lower side of the leaves, a low to very low density of erect and prostrate hairs,
- the round-shaped or obloid berries.

Evolution of cultivated areas in France

Year 2018 ha 0

Genetic profile

MicrosatelliteVVS2		VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allele 1	122	219	249	191	186	252	248	243	249
Allele 2	147	248	249	191	194	252	254	247	255

Cultivation and agronomic skills

Silara has a horizontal or semi-erect bearing and looks like its leaves have been thinned out. This variety is fertile and produces a lot of grappillons that can almost be a second harvest. Silara is sensitive to potassium deficiency and chlorosis.

Clonal selection in France

The only certified Silara clone carries the number 1248.

Bibliographic references

- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - Institut Agro Montpellier, Marseillan, France.

Phenology

Bud burst: 13 days after Chasselas. Grape maturity: mid-season, 3 weeks after Chasselas.

Technological potential

Silara's bunches are small to medium in size and moderately compact. The berries are medium, with a slightly foxy flavor, a moderately thick skin and a fleshy pulp. Silara musts have a nice color potential, a pronounced acidity and a moderate sugar content.











Plantgrape, all rights reserved, plantgrape.fr, UMT Géno-Vigne® INRAE - IFV - L'Institut Agro Montpellier