

Nouveauté

# Chardonnay rose Rs

Wine grape variety.



## Origin

This variety corresponds to the pink mutation of Chardonnay.

## Use

Wine grape variety.

## Name of the variety in France

Chardonnay rose

## Synonymy

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.

## Regulatory data

In France, Chardonnay rose is officially listed in the "Catalogue of vine varieties" since 2018 on the A list and temporarily classified.

## Description elements

The description corresponds to that of Chardonnay, except for the skin color of the berries when ripe, which is pink in this case.

# Evolution of cultivated areas in France

Year

2018

ha

0.1

## Genetic profile

Microsatellite	VVS2	VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allele 1	135	232	239	178	188	244	238	216	239
Allele 2	141	236	243	186	196	246	254	227	271

### Cultivation and agronomic skills

Aptitudes are close to those of Chardonnay. Chardonnay rose seems to have a slightly later maturity and to be less productive than the white version.

### Susceptibility to Diseases and Pests

The susceptibilities and tolerances of Chardonnay rose are roughly identical to those of Chardonnay. It tends to be slightly less sensitive to grey rot.

### Clonal selection in France

The only certified Chardonnay rose clone carries the number 1284.

### Bibliographic references

- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - Institut Agro Montpellier, Marseillan, France.
- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.
- Ampelografiai album. N. Marton, 1967, Ed. Mezogazdagi Kiado, Budapest, Hungary.
- Geisenheim rebsorten und klone. J. Schmid et al., 2019, Germany.

### Phenology

Bud burst: 1 day after Chasselas.  
Grape maturity: mid-season, 2 weeks and a half to 3 weeks after Chasselas.

### Technological potential

Chardonnay rose's bunches are small and compact. The berries are small to medium and simple-flavored. It produces slightly less acidic wines with a little more sugar than those obtained with Chardonnay.



Plantgrape, all rights reserved,  
plantgrape.fr, UMT Géno-Vigne®  
INRAE - IFV - L'Institut Agro Montpellier

