

# Chichaud N

Wine grape variety.



## Origin

This variety is originally from the French department of Ardèche.

## Use

Wine grape variety.

## Name of the variety in France

Chichaud

## Synonymy

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.

## Regulatory data

In France, Chichaud is officially listed in the "Catalogue of vine varieties" since 2019 on the A list and classified.

## Description elements

The identification is based on:

- the tip of the young shoot with a medium density of prostrate hairs and a piping distribution of anthocyanin coloration,
- the green yellowish young leaves with a low density of prostrate hairs,
- the shoots with green or red-striped internodes,
- the circular, medium-sized adult leaves, with five or seven lobes, rather deep U-shaped lateral sinuses, a closed petiole sinus with overlapping lobes, short teeth compared to their width at the base with convex or straight sides, no anthocyanin coloration of veins, a finely blistered, twisted or involute leaf blade, and on the lower side of the leaves, a low density of erect hairs,
- the round-shaped or ellipsoid berries.

# Genetic profile

Microsatellite	VVS2	VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allele 1	131	223	243	182	188	240	238	233	255
Allele 2	141	234	253	182	188	252	254	257	261

## Cultivation and agronomic skills

Chichaud is fertile, moderately vigorous and has a semi-erect bearing. This variety is well adapted to hot climates and to dry and stony soils.

## Clonal selection in France

There is no certified clone for this variety yet.

## Phenology

Bud burst: 8 days after Chasselas.

Grape maturity: mid-season, 2 weeks and a half after Chasselas.


## Technological potential

Chichaud's bunches are medium and compact. The berries are also medium in size, simple-flavored, with a thin skin and a juicy pulp. This variety produces fine, not very colored, moderately alcoholic, quality wines.


## Susceptibility to Diseases and Pests

Chichaud is sensitive to downy mildew and to grey rot.

## Debourrement



## Maturité



## Bibliographic references

- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - Institut Agro Montpellier, Marseillan, France.
- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.
- Traité général de viticulture, Ampélographie. P. Viala and V. Vermorel, 1901-1909, Ed. Masson, Paris, France.
- Le vignoble. A. Mas and V. Pulliat, 1874-1879, Ed. Masson, Paris, France.
- Variétés de raisins de table. Branas and Truel, 1965, Ed. Nouvelles Du Progrès Agricole Et Viticole, France.



---

*Plantgrape, all rights reserved,  
plantgrape.fr, UMT Géno-Vigne®  
INRAE - IFV - L'Institut Agro Montpellier*