


Négret pounjut N

Wine grape variety.



Origin

Négret Pounjut probably comes from the Garonne valley, the wine-growing region of Fronton and Lavilledieu. Based on genetic analyses carried out in Montpellier, it would be closely related to Prunelard.

Use

Wine grape variety.

Name of the variety in France

Négret pounjut

Synonymy

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.

Regulatory data

In France, Négret Pounjut is officially listed in the "Catalogue of vine varieties" since 2020 on the A list and classified.

Description elements

The identification is based on:

- the tip of the young shoot with a very high density of prostrate hairs,
- the green young leaves with bronze spots and a medium to high density of prostrate hairs,
- the red-striped shoots,
- the adult leaves with five, seven or nine lobes, deep club-shaped lateral sinuses with often a tooth inside, a closed petiole sinus with overlapping or very overlapping lobes, medium to long teeth compared their width at the base with straight sides, a weak anthocyanin coloration, an involute finely blistered leaf blade, and on the lower side of the leaves, a low density of erect hairs and a medium density of prostrate hairs,
- the ellipsoid or ovoid berries, with a peak at the tip of the hilum.

Genetic profile

Microsatellite	VVS2	VMD5	VMD7	VMD27	VRZAG62	VRZAG79	VMD25	VMD28	VMD32
Allele 1	141	223	239	176	188	240	254	233	249
Allele 2	149	236	262	182	202	260	262	267	251

Cultivation and agronomic skills

Négret pounjut has a semi-erect bearing. It is a very vigorous but not very fertile variety, so it is best to prune it long.

Clonal selection in France


There is no certified clone for this variety yet.

Phenology

Bud burst: same as Chasselas.

Grape maturity: early-season, 1 week after Chasselas.

Debourrement




Technological potential

Négret pounjut's bunches are small and moderately compact. The berries are small to medium in size, with a simple flavor, a moderately thick skin and a juicy pulp. The berries have a low sugar and acid accumulation potential. The Négret pounjut red wines are light, not very colored, fruity (strawberries) and with very supple tannins. This variety is also used to produce rosé wines.

Susceptibility to Diseases and Pests

This variety is particularly sensitive to powdery mildew. It is also susceptible to grey rot.

Maturité



Bibliographic references

- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - Institut Agro Montpellier, Marseillan, France.
- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.
- Cépages du Sud-Ouest, 2000 ans d'histoire. G. Lavignac, 2001, Ed. Rouergue/INRA, France.
- Cépages oubliés des Pyrénées. Projet Interreg Poctefa Valovitis, 2019, France.



*Plantgrape, all rights reserved,
plantgrape.fr, UMT Géo-Vigne®
INRAE - IFV - L'Institut Agro Montpellier*