

New

Cacaboué B

Wine grape variety.



Origin

This variety is originally from Savoie.

Use

Wine grape variety.

Name of the variety in France

Cacaboué

Synonymy

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.

Regulatory data

In France, Cacaboué is officially listed in the "Catalogue of vine varieties" since 2026 on the A list.

Description elements

[Redaction in progress]

Genetic profile

Microsatellite	VVS2	VMD5	VMD7	VMD27	VRZAG62	VRZAG79	VMD25	VMD28	VMD32
Allele 1	131	223	247	182	233	251	248		
Allele 2	149	236	257	186	243	270	256		

Cultivation and agronomic skills

Cacaboué has a semi-erect bearing and low to moderate vigor. This variety is moderately productive.

Clonal selection in France


There is no certified clone for this variety yet.

Phenology

Bud burst: same as Chasselas.

Grape maturity: mid-season, 2 weeks after Chasselas.

Debourrement




Technological potential

The bunches are small to medium in size and compact. The berries are medium-sized with a thin skin. This grape variety has a fairly high potential for sugar accumulation while maintaining good acidity. The wines produced are lively and relatively neutral in terms of aroma.

Susceptibility to Diseases and Pests

Cacaboué does not seem particularly sensitive to downy mildew and powdery mildew. It is however susceptible grey rot.

Maturité



Bibliographic references

- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - Institut Agro Montpellier, Marseillan, France.

- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.



*Plantgrape, all rights reserved,
plantgrape.fr, UMT Géo-Vigne®
INRAE - IFV - L'Institut Agro Montpellier*