

New

Epinou B

Wine grape variety.



Origin

This variety is originally from the Auvergne region and based on genetic analyses carried out in Montpellier, it is probably a descendant of Gouais blanc.

Use

Wine grape variety.

Name of the variety in France

Epinou

Synonymy

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.

Regulatory data

In France, Epinou is officially listed in the "Catalogue of vine varieties" since 2026 on the A list, and temporarily classified.

Description elements

[Redaction in progress]

Genetic profile

	MicrosatelliteVVS2	VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allele 1	141	232	239	178	227	249	248		
Allele 2	149	236	262	182	247	271	254		

Cultivation and agronomic skills

Epinou has a semi-erect bearing and displays moderate to high vigor. It can be susceptible to millerandage if weather conditions are unfavorable during flowering. This variety is not very fertile and it is best to prune it long. Epinou appears to be not very susceptible to berry shriveling at the end of the season and is well adapted to poor soils and drought. Its foliage turns red in the fall.

Clonal selection in France

There is no certified clone for this variety yet.

Phenology

Bud burst: 6 days after Chasselas.

Grape maturity: mid-season, 2 weeks after Chasselas.


Technological potential

Epinou's bunches are medium-sized, compact, and winged. The berries are small. Epinou produces high-quality wines that are fruity, full-bodied, and rich in tannins.


Susceptibility to Diseases and Pests

Epinou does not seem particularly susceptible to diseases.

Debourrement



Maturité



Bibliographic references

- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - Institut Agro Montpellier, Marseillan, France.
- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.
- Le vignoble et le vin du Puy de Dôme. E. Goutay, 1898, Progrès Agricole et Viticole.
- Le vignoble d'Auvergne. J. Roy-Chevrier, 1903, La Vigne Américaine.
- Contribution à l'étude du vignoble auvergnat. L. Levadoux, 1939, Annals of the National School of Agriculture in Montpellier.



*Plantgrape, all rights reserved,
plantgrape.fr, UMT Géno-Vigne®
INRAE - IFV - L'Institut Agro Montpellier*