


Datal B

Table grape variety.



Origin

This variety was obtained in 1956 by INRA by crossbreeding Dattier de Beyrouth and Muscat d'Alexandrie.

Use

Table grape variety.

Name of the variety in France

Datal

Synonymy

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.

Regulatory data

In France, Datal is officially listed in the "Catalogue of vine varieties" on the A list. This variety is also listed in the catalogue of Portugal.

Description elements

The identification is based on:

- the tip of the young shoot with a low density of prostrate hairs,
- the green young leaves with bronze spots,
- the circular or wedge-shaped adult leaves, with five or seven lobes, an open U-shaped petiole sinus with parallel edges, medium teeth, long compared to their width at the base with straight sides, a slight or moderate anthocyanin coloration of veins, a smooth twisted leaf blade, and on the lower side of the leaves, a low density of erect hairs and no prostrate hairs,
- the ellipsoid or obovoid berries.

Evolution of cultivated areas in France

Year 2018

ha 0

Genetic profile

	MicrosatelliteVVS2	VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allele 1	133	223	239	182	186	248	248	233	271
Allele 2	147	229	249	191	188	252	248	267	271

Cultivation and agronomic skills

Datal displays a moderate vigor and its production potential is high. The shoots have a semi-erect to horizontal bearing. It must be trained and pruned short. It is not very susceptible to coulure but can sometimes be affected by millerandage.

Susceptibility to Diseases and Pests

Datal is a little susceptible to grey rot.

Clonal selection in France

The only certified Datal clone carries the number 500.

Bibliographic references

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi, France.
- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - Institut Agro Montpellier, Marseillan, France.
- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.

Phenology

Bud burst: 2 days before Chasselas.

Grape maturity: mid-season, 3 weeks after Chasselas.

Technological potential

Datal's bunches are very large with a long and not very lignified peduncle. The berries are very large, simple-flavored, with a firm, not very juicy pulp with seeds.

The grapes must be well exposed in order to obtain good coloration. This variety has a fairly good transport capacity.



Plantgrape, all rights reserved,
plantgrape.fr, UMT Géno-Vigne®
INRAE - IFV - L'Institut Agro Montpellier