

# Tannat N

# Wine grape variety.







### Origin

This variety is originally from the Pyrenees vineyards.

### Use

Wine grape variety.

### Name of the variety in France

Tannat

### Synonymy

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.

### Regulatory data

In France, Tannat is officially listed in the "Catalogue of vine varieties" on the A list and classified. This variety is also listed in the catalogues of other Member States of the European Union: Bulgaria, Greece, Italy and Portugal.

### **Description elements**

The identification is based on:

- the tip of the young shoot with a very high density of prostrate hairs,
- the reddish young leaves with bronze spots,
- the pentagonal, dark green adult leaves, entire or with three or five lobes, an elongated central lobe, a slightly open or closed petiole sinus, short teeth with straight sides, a moderate anthocyanin coloration of veins, a revolute blistered leaf blade, sometimes undulate between the main veins, and on the lower side of the leaves, a medium density of prostrate hairs.
- the round-shaped berries.

### **Evolution of cultivated areas in France**

Year	1958	1968	1979	1988	1998	2008	2018
ha	4192	3925	3256	2891	2931	3147	2837

## Genetic profile

MicrosatelliteVVS2		VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allele 1	141	236	249	182	194	240	254	233	239
Allele 2	153	238	249	186	200	252	254	243	255

### Cultivation and agronomic skills

Tannat is a fairly vigorous variety that is usually pruned long and must be trellised.

### Susceptibility to Diseases and Pests

Tannat is sensitive to mites and vine leafhoppers. It is also a little susceptible to grey rot.

### **Clonal selection in France**

The twelve certified Tannat clones carry the numbers 398, 399, 472, 473, 474, 475, 717, 794, 944, 1048, 1154 and 1175. A conservatory of more than 300 clones was planted in 1995 in the French department of Pyrénées-Atlantiques.

### Phenology

Bud burst: 4 days after Chasselas. Grape maturity: mid-season, 3 weeks and a half after Chasselas.

#### **Technological potential**

The bunches are large while the berries are small to medium in size. Tannat produces colored, very tannic and lively (with slightly harsh acidity) wines. This variety gives powerful, full-bodied quality wines, that are suited to ageing.

### Bibliographic references

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi, France.
- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE Institut Agro Montpellier, Marseillan, France.
- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.
- Traité général de viticulture, Ampélographie. P. Viala and V. Vermorel, 1901-1909, Ed. Masson, Paris, France.











Plantgrape, all rights reserved, plantgrape.fr, UMT Géno-Vigne® INRAE - IFV - L'Institut Agro Montpellier

